

# DUOFLEX

 PU	 5.9 mil	 45°/60° Blade	 LOW pressure	 325°F	 30s	 PEEL: COLD
---	--	---	--	---	--	---

**CARRIER:** Non-Adhesive Clear Polyester

## APPLIES ON

-  Cotton
-  Polyester
-  Acrylic & Similar Fabrics

## CARE

- Always respect the garment's instructions
- Allow 24 hours after application before washing
- Iron the backside only

## WASH

- Max 100°F
- Preferably inside out
- Do NOT bleach
- Do NOT Tumble-dry
- Do NOT Dry-clean

## STORE

- Up to 1 year
- In a dry room (60-85°F)
- Away from sunlight
- In vertical position

## APPLICATION

1. Cut the material in reverse with the recommended blade
2. Weed the excess material
3. Heat press on the garment at 325°F & Protect the polyester carrier with silicone paper 30 sec - low pressure
4. Peel the carrier off when cold



NOTE: For best results, we recommend performing a TEST prior to starting standard production