

# MAGICFLEX

 PU	 PUFF	 45° Blade	 LOW pressure	 1st: 320°F 2nd: 320°F	 1st: 10s 2nd: 30s	 PEEL: HOT
---	---	---	--	--	---	--

**CARRIER: Non-Adhesive Transparent Polyester**

## APPLIES ON

-  Cotton
-  Polyester
-  Acrylic & Similar Fabrics

## CARE

- Always respect the garment's instructions
- Allow 24 hours after application before washing
- Iron the backside only

## WASH

- Max 100°F
- Preferably inside out
- Do NOT bleach
- Do NOT Tumble-dry
- Do NOT Dry-clean

## STORE

- Up to 1 year
- In a dry room (60-85°F)
- Away from sunlight
- In vertical position

## APPLICATION

1. Cut the material right-reading (DO NOT MIRROR) with the recommended blade
2. Weed the excess material
3. Use a low-tack application tape to transfer material
4. Heat pressing in two steps: 1st : position and heat press the heat transfer on the garment protected by a silicon paper at 320°F - 10 sec - at the lowest pressure. Remove the application tape immediately after heat pressing. 2nd : heat pressing without application tape at 320°F - 30sec at the lowest pressure.



**NOTE:** For best results, we recommend performing a TEST prior to starting standard production