

SUNMARK

 PVC	 3.5-6.3 mil	 45° Blade	 MEDIUM pressure	 210°F	 15s	 PEEL: COLD
--	--	---	---	---	--	---

CARRIER: Adhesive & Transparent Polyester

APPLIES ON

-  Awnings
-  Heat Sensitive Fabrics

CARE

- Always respect the garment's instructions
- This product is not guaranteed against UV rays

WASH

- Do not wash

STORE

- Up to 1 year
- In a dry room (60-85°F)
- Away from sunlight
- In vertical position

APPLICATION

1. Cut the material in reverse with the recommended blade
2. Weed the excess material
3. Heat press on the garment at 210°F & Protect the polyester carrier with silicone paper 15 sec - medium pressure
4. Peel the carrier off when cold



NOTE: For best results, we recommend performing a TEST prior to starting standard production